



Carboxylated polymer

Principal Functioning Agents

Maleic-itaconic copolymer, mixed partial ammonium-calcium salts.....40%

Inert Ingredients (aqueous solution).....60%

Total.....100%

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

KEEP OUT OF REACH CHILDREN



WARNING

Causes serious eye and skin irritation. May cause an allergic skin reaction. May be harmful if swallowed.

PRECAUTIONARY STATEMENTS

Wear chemical safety goggles or face shield, chemical resistant protective gloves, long-sleeved shirt, and long pants. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes, and clothing.

ENVIRONMENTAL HAZARDS

Do not contaminate waterways or sewers during cleaning of equipment or disposal of wastes. Dispose of empty container by depositing in sanitary landfills, as required by law.

FIRST AID

If in Eyes: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: get medical advice, attention.

If Swallowed: Do not induce vomiting. Rinse mouth. Call a physician immediately.

If Inhaled: Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.

If on Skin or Clothing: Wash off immediately with plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.

EMERGENCY ASSISTANCE

For emergency assistance, call CHEMTREC at 800-424-9300.

STOP - READ ENTIRE LABEL BEFORE USING

GENERAL INFORMATION

PitMax+ reduces solids and creates uniformity in your manure. PitMax+ is water soluble, biodegradable, and nontoxic.

PitMax+ was developed specifically for Hog and Cattle Manure.

EXPECTED BENEFITS

- Increased uniformity/distribution during pump out of manure nutrients.
- Improved pump-out by helping break up solids in the top and bottom of your pit.
- More efficient agitation after using this product according to labeled rates.

DIRECTIONS FOR APPLICATION

Apply 50% of recommended rate when pit is 25-35% full, then apply 25% of recommended rate when pit is 50% full, and apply remaining 25% of recommended rate 30 days prior to pump out.

For maximum product performance, distribute product equally through pit pump outs.

Use low end of rate to:

- Dislodge solid buildup at bottom of pit <12".
- Keep solids from building up.
- Increase agitation efficiency.
- Increase uniformity/distribution of manure during pump out.

Use high end of rate to:

- Do all listed above.
- Dislodge >~12" of solids annually at bottom of pit.

USE DIRECTIONS

Always follow the precautions, restrictions, recommended use rates and application directions appearing on the labels for each product to be tank mixed. It is the applicator's responsibility to ensure that all products are registered for the intended use.

APPLICATION RATE

Rate calculations: PitMax+/100K Gal of Manure

- Hog: Low Rate - 2 Gal. High Rate - 4 Gal.
- Cattle: Low Rate - 1.5 Gal. High Rate - 3 Gal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store at ambient temperature. Store in original, tightly closed container. Do not allow water or other chemicals to be introduced into contents of container. Do not store near feed or food products. Do not use or store near open flame.

Disposal: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill. Do not contaminate water sources with equipment washwater, spray disposal wastes or by cleaning of equipment. Dispose of contents and container in accordance with local and national regulations.

CONDITIONS OF SALE AND WARRANTY

Landus warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated on such label only when used in accordance with the directions for use. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Landus. In no case shall Landus be liable for the consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer.

Except as expressly provided herein, Landus makes no warranties, guarantees, of representations of any kind, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

Manufactured by:



220 SW 9th St., Ste. 300
Des Moines, IA 50309

Net Contents: 2.5 Gallons (9.46 L)

2 x 2.5 Gallons (18.9 L)

Density: 9.96 lbs./gal (1.19 kg/L)

Net Wt.: 24.9 lbs (11.26 kg)

